

















[31] S. J. Vaughan-Nichols, "Openstack's top operating system: Ubuntu linux," retrieved 9 December 2015. [Online]. Available at <http://www.zdnet.com/article/openstacks-top-operating-system-ubuntu-linux/>

[32] W. Cui, M. Peinado, H. Wang, and M. Locasto, "Shieldgen: Automatic data patch generation for unknown vulnerabilities with informed probing," in *Security and Privacy, 2007. SP'07. IEEE Symposium on*, May 2007, pp. 252–266.

[33] Greenbone Security Manager. [Online]. Available at: <http://docs.greenbone.net/GSM-Manual/gos-3.1/en/>. (Access Date: 20 January, 2016).

[34] Breu, S., Premraj, R., Sillito, J., & Zimmermann, T. (2010, February). Information needs in bug reports: improving cooperation between developers and users. In *Proceedings of the 2010 ACM conference on Computer supported cooperative work* (pp. 301-310). ACM.

[35] Ko, A. J., & Chilana, P. K. (2010, April). How power users help and hinder open bug reporting. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (pp. 1665-1674). ACM.

[36] I. V. Krsul, "Software Vulnerability Analysis," Ph.D. Dissertation, Purdue University, 1998.

[37] Guo, P. J., Zimmermann, T., Nagappan, N., & Murphy, B. (2010, May). Characterizing And Predicting Which Bugs Get Fixed: An Empirical Study Of Microsoft Windows. In *Software Engineering, 2010 ACM/IEEE 32nd International Conference on* (Vol. 1, pp. 495-504). IEEE.