

- system to reduce direct and indirect CO₂ emissions," *Energy*, no. 35, pp. 1412-1424, 2010.
- [6] Abu Dhabi Urban Planning Council, The Pearl Rating System for Estidama. Building Rating System, 1.0 ed., Abu Dhabi, 2010.
- [7] M. Thomas, "The Future of PV Starts Now," *PV Magazine*, 26 July 2012.
- [8] A. Bouyamourn, "UAE to cut government spending for first time in 13 years," *The National*, 27 July 2015.
- [9] J.-H. Yoon, S.-R. Shima, Y. S. An and K. H. Lee, "An experimental study on the annual surface temperature characteristics of amorphous silicon BIPV window," *Energy and Buildings*, vol. 62, pp. 166-175, 2013.
- [10] B. P. Jelle, C. Breivik and H. D. Rokenes, "Building integrated photovoltaic products: A state-of-the-art review and future research opportunities," *Solar Energy Materials & Solar Cells*, vol. 100, pp. 69-96, 2012.
- [11] H. Radhi, "Energy analysis of façade-integrated photovoltaic systems applied to UAE commercial buildings," *Solar Energy*, vol. 84, no. 12, pp. 2009-2021, 2010.
- [12] P. K. Ng, N. Mithraratne and H. W. Kua, "Energy analysis of semi-transparent BIPV in Singapore buildings," *Energy and Buildings*, vol. 66, pp. 274-281, 2013.
- [13] L. Olivieri, E. Caamano-Martin, F. Olivieri and J. Neila, "Integral energy performance characterization of semi-transparent photovoltaic elements for building integration under real operation conditions," *Energy and Buildings*, no. 68, pp. 280-291, 2014.
- [14] A. B. S. Bahaj, P. A. James and M. F. Jentsh, "Potential of emerging glazing technologies for highly glazed buildings in hot arid climates," *Energy and Buildings*, no. 40, pp. 720-731, 2008.
- [15] Dubai Municipality, *Green Building Regulations & Specifications*, Dubai, 2015.
- [16] J.-H. Yoon, S.-R. Shim, Y. S. An and K. H. Lee, "An experimental study on the annual surface temperature characteristics of amorphous silicon BIPV window," *Energy and Buildings*, no. 62, pp. 166-175, 2013.
- [17] Climatebase, "The Archive of Climatic Data," 2012. [Online]. Available: <http://climatebase.ru/station/41194/?lang=en>. [Accessed 15 August 2015].
- [18] S. Armstrong and W. Hurley, "A thermal model for photovoltaic panels under varying atmospheric conditions," *Applied Thermal Engineering*, vol. 30, pp. 1488-1495, 2010.
- [19] M. A. Maehlum, "The Real Lifespan of Solar Panels," 2014. [Online]. Available: <http://energyinformative.org/lifespan-solar-panels/>. [Accessed 5 August 2015].
- [20] C. Peng, Y. Huang and Z. Wu, "Building-integrated photovoltaics (BIPV) in architectural design in China," *Energy and Buildings*, vol. 43, pp. 3592-3598, 2011.
- [21] D. H. Li, T. N. Lam and K. Cheung, "Energy and cost studies of semi-transparent photovoltaic skylight," *Energy Conversion and Management*, vol. 50, no. 8, pp. 1981-1990, 2009.
- [22] Guardian Industries Corp., "What is the difference between SHGC (Solar Heat Gain Coefficient) and SC (Shading Coefficient)?," 2015. [Online]. Available: <https://www.guardian.com/commercial/ToolsandResources/Resources/FAQ/SHGC-versus-SC/index.htm>. [Accessed 2 August 2015].