















- Telecare. 2018 Sep;24(8):527–539. Doi: 10.1177/1357633X17717402.
- [37] N. Alavi, and A. Hirji, “The efficacy of PowerPoint-based CBT delivered through email: breaking the barriers to treatment for generalized anxiety disorder,” *J Psychiatr Pract.* 2020 Mar; 26(2):89–100. Doi:10.1097/PRA.0000000000000455.
- [38] S. Sethi, A. J. Campbell, L. and A. Ellis, “The use of computerized self-help packages to treat adolescent depression and anxiety,” *J Technol Hum Serv.* 2010 Aug 31; 28(3):144–160. Doi:10.1080/15228835.2010.508317.
- [39] N. Titov, B. F. Dear, G. Schwencke, G. Andrews, L. Johnston, M. G. Craske, and P. McEvoy, “Transdiagnostic internet treatment for anxiety and depression: a randomised controlled trial,” *Behav Res Ther.* 2011 Aug;49(8):441–452. Doi: 10.1016/j.brat.2011.03.007.
- [40] B. J. Fogg, “Persuasive technology: using computers to change what we think and do,” Morgan Kaufmann, 2003, San Francisco.
- [41] R. H. Thaler, and C. R. Sunstein, “Nudge: Improving decisions about health, wealth, and happiness,” Penguin, 2009.
- [42] P. Karppinen, H. Oinas-Kukkonen, T. Alahäivälä, T. Jokelainen, A.-M. Keränen, T. Salonurmi, and M. Savolainen, “Persuasive user experiences of a health behavior change support system: a 12-month study for prevention of metabolic syndrome,” *International Journal of Medical Informatics*, 2016, 96, 51-61.