























- [11] Hootsuite & We Are Social: Digital 2019 Q4 Global Digital Statshot (2019), <https://datareportal.com/reports/digital-2019-q4-global-digital-statshot> (Access Date: 16 Janu, 2020).
- [12] Iftene, S.: Compartmented secret sharing based on the chinese remainder theorem. IACR Cryptology ePrint Archive 2005, 408 (2005).
- [13] Kikuchi, H., Tada, M., Nakanishi, S.: Secure instant messaging protocol preserving confidentiality against administrator. In: 18th International Conference on Advanced Information Networking and Applications, 2004. AINA 2004. vol. 2, pp. 27–30. IEEE (2004).
- [14] Lin, C., Harn, L., Ye, D.: Ideal perfect multilevel threshold secret sharing scheme. In: 2009 Fifth International Conference on Information Assurance and Security. vol. 2, pp. 118–121. IEEE (2009).
- [15] Marlinspike, M.: The Double Ratchet Algorithm (Nov 2016), <https://signal.org/docs/specifications/doubleratchet/> (Access Date: 13 September, 2018).
- [16] Mignotte, M.: How to share a secret. In: Workshop on Cryptography. pp. 371–375. Springer (1982).
- [17] Moscaritolo, V., Belvin, G., Zimmermann, P.: Silent circle instant messaging protocol specification. Online, White Paper (2012).
- [18] OTR Development Team: Off-the-Record Messaging Protocol version 3, <https://otr.cypherpunks.ca/Protocol-v3-4.1.1.html> (Access Date: 13 September, 2018).
- [19] Robison, C., Ruoti, S., van der Horst, T.W., Seamons, K.E.: Private facebook chat. In: 2012 International Conference on Privacy, Security, Risk and Trust and 2012 International Conference on Social Computing. pp. 451–460. IEEE (2012).
- [20] Rosenfeld, A., Sina, S., Sarne, D., Avidov, O., Kraus, S.: A study of whatsapp usage patterns and prediction models without message content. arXiv preprint arXiv:1802.03393 (2018).
- [21] Schillinger, F., Schindelbauer, C.: End-to-end encryption schemes for online social networks. In: International Conference on Security, Privacy and Anonymity in Computation, Communication and Storage. pp. 133–146. Springer (2019).
- [22] Seufert, M., Schwind, A., Hoßfeld, T., Tran-Gia, P.: Analysis of groupbased communication in whatsapp. In: International Conference on Mobile Networks and Management. pp. 225–238. Springer (2015).
- [23] Shamir, A.: How to share a secret. Communications of the ACM 22(11), 612–613 (1979).
- [24] Simmons, G.J.: How to (really) share a secret. In: Conference on the Theory and Application of Cryptography. pp. 390–448. Springer (1988).
- [25] Straub, A.: XEP-0384:OMEMO encryption (1999-2018), <https://xmpp.org/extensions/xep-0384.html> (Access Date: 13 September, 2018).
- [26] Symantec: Key Reconstruction - PGP Desktop (Feb 2011), <https://www.symantec.com/docs/TECH149043> (Access Date: 12 May, 2019).
- [27] Threema: Threema Cryptography Whitepaper (Jan 2019), [https://threema.ch/press-files/cryptography\\_whitepaper.pdf](https://threema.ch/press-files/cryptography_whitepaper.pdf) (Access Date: 6 January, 2020).
- [28] Yang, C.H., Kuo, T.Y., Ahn, T., Lee, C.P.: Design and implementation of a secure instant messaging service based on elliptic-curve cryptography. Journal of Computers 18(4), 31–38 (2008).
- [29] Schillinger, F., Schindelbauer C.: Partitioned Private User Storages in End-to-End Encrypted Online Social Networks. The 15th International Conference for Internet Technology and Secured Transactions (ICITST-2020).