

Privacy. This includes monitoring and filtering traceback mechanisms and countermeasures against evasive interceptions of highly sensitive data at intermediary points of critical information infrastructures. This involves hybrid data mining techniques of traceback, source identification and forensics of categories, subcategories and attributes and types for secure transmission interception of highly sensitive data. This includes automated traceback analysis of security, privacy, transparency, auditability, traceability, accountability and forensics on transactions and breaches in cyber and complex infrastructures for effective homeland security and counter-intelligence in information infrastructure protection. Furthermore, they enable public and private sector enhancements for Smart Grid Cyber Security initiatives and Critical Infrastructure Protection strategies for Smart Grid Cyber Security and significant efficient intelligent strategies for Smart Grid, Cyber Security and Renewable Energy for the 21st Century.

10. References

- [1] National Institute of Standards (NIST), NISTIR 7628: Smart Grid Cyber Security, Vol. 1: Smart Grid Cyber Security Strategy, Architecture, and High-Level Requirements. The Smart Grid Interoperability Panel, Cyber Security Working Group, August, 2010. Washington, DC, USA.
- [2] National Institute of Standards (NIST), NISTIR 7628: Smart Grid Cyber Security, Vol. 2: Privacy and the Smart Grid. The Smart Grid Interoperability Panel, Cyber Security Working Group, August, 2010. Washington, DC, USA.
- [3] National Institute of Standards (NIST), NISTIR 7628: Smart Grid Cyber Security, Vol. 3: Supportive Analyses and References. The Smart Grid Interoperability Panel, Cyber Security Working Group, August, 2010. Washington, DC, USA.
- [4] Cisco Systems Inc. Cisco Secure ACS for Windows, version 4.0, 2005. San Jose, CA, USA.
- [5] J. A. Hartigan. Clustering Algorithms. John Wiley and Sons, Inc., New York, USA, 1975.
- [6] J. A. Hartigan and M. A. Wong. A k-means clustering algorithm. *Applied Statistics*, 128(3):100–108, July–September 1979.
- [7] R. C. Holte. Very simple classification rules perform well on most commonly used datasets. *Machine Learning*, 11:63–90, 1993.
- [8] R. C. Holte, A. L., and B. W. Porter. Concept learning and the problem of small disjuncts. In *Proceedings of the Eleventh International Joint Conference on Artificial Intelligence*, pages 813–818, San Mateo, CA, 1989.
- [9] A. hrn. Discernibility and Rough Sets in Medicine: Tools and Applications. PhD thesis, Norwegian University of Science and Technology, Department of Computer and Information Science, 1999. <http://www.idi.ntnu.no/aleks/thesis>.
- [10] Network Associates. McAfee Intrushield IDS: 4000 Series, 2007. Santa Clara, CA, USA.
- [11] Rulequest Research. Rule Induction with C5.0, See5/Cubist software, 2005.
- [12] S. Vinterbo and A. hrn. Minimal approximate hitting sets and rule templates. *International Journal of Approximate Reasoning*, 25(2):123–143, 2000.