

the 6th USENIX conference on Hot topics in security, ser. HotSec11. Berkeley, CA, USA: USENIX Association, 2011, pp. 99.

[4] S. Jana and V. Shmatikov, Memento: Learning secrets from process footprints, Proceedings of the 2012 IEEE Symposium on Security and Privacy, ser. SP 12. Washington, DC, USA: IEEE Computer Society, 2012, pp. 143157.

[5] M. Naveed, X. Zhou, S. Demetriou, X. Wang, and C. A. Gunter, Inside job: Understanding and mitigating the threat of external device misbonding on android, 2014.

[6] Y. Michalevsky, D. Boneh, and G. Nakibly, Gyrophone: Recognizing speech from gyroscope signals, 23rd USENIX Security Symposium (USENIX Security 14). San Diego, CA: USENIX Association, Aug. 2014, pp. 10531067.

[7] “Gyrophone code”, <https://bitbucket.org/ymrcat/gyrophone/>, 2014.

[8] Demo: Leave me alone: App-level protection against runtime information gathering on android, <https://sites.google.com/site/appguardian/>, 2014.

[9] “Android permission”, <http://developer.android.com/guide/topics/manifest/permission-element.html/>, 2014.

[10] “Android oom killer”, http://elinux.org/Android_Notes/#oom_killer_info, 2014.

[11] Reto Meier, Professional Android Application Development, Wrox, 2008.

[12] “Android Developers”, <http://developer.android.com/>