

- [24] J. Majidpour, E. Khezri, H. Hassanzade, and K. S. Mohammed, "Interactive tool to improve the automatic image annotation using MPEG-7 and multi-class SVM," in 2015 7th Conference on Information and Knowledge Technology (IKT), 2015, pp. 1–7.
- [25] S. Z. Li and A. K. Jain, *Handbook of Face Recognition*. 2010.
- [26] X. Xu, W. Liu, and L. Li, "Low Resolution Face Recognition in Surveillance Systems," vol. 2014, no. January, pp. 70–77, 2014.
- [27] N. Ramanathan and R. Chellappa, "Modeling Age Progression in Young Faces," 2006.
- [28] I. Kemelmacher-shlizerman, S. Suwajanakorn, and S. M. Seitz, "Illumination-Aware Age Progression," 2014.
- [29] Z. Li, U. Park, and A. K. Jain, "A Discriminative Model for Age Invariant Face Recognition," vol. 6, no. 3, pp. 1028–1037, 2011.
- [30] D. Sungatullina, J. Lu, G. Wang, and P. Moulin, "Multiview Discriminative Learning for Age-Invariant Face Recognition," 2013.
- [31] R. Singh, S. Member, M. Vatsa, and S. Member, "A Mosaicing Scheme for Pose-Invariant Face Recognition," vol. 37, no. 5, pp. 1212–1225, 2007.
- [32] L. A. Cament, F. J. Galdames, K. W. Bowyer, and C. A. Perez, "Face recognition under pose variation with local Gabor features enhanced by Active Shape and Statistical Models," vol. 48, pp. 3371–3384, 2015.
- [33] A. Asthana, T. K. Marks, M. J. Jones, K. H. Tieu, and R. Mv, "Fully Automatic Pose-Invariant Face Recognition via 3D Pose Normalization," 2011.
- [34] D. Yi, Z. Lei, and S. Z. Li, "Towards Pose Robust Face Recognition," pp. 3539–3545, 2013.
- [35] A. Nabatchian and M. Ahmadi, "An Efficient Method for Face Recognition under Illumination Variations," pp. 432–435, 2010.
- [36] S. Choi, C. Choi, and N. Kwak, "Face recognition based on 2D images under illumination and pose variations," vol. 32, pp. 561–571, 2011.
- [37] F. Bhat and M. A. Wani, "Elastic Bunch Graph Matching Based Face Recognition Under Varying Lighting, Pose, and Expression Conditions," vol. 1, no. 8, pp. 51–59, 2015.
- [38] M. Sultana, M. Gavrilova, and S. Yanushkevich, "Expression, Pose, and Illumination Invariant Face Recognition using Lower Order Pseudo Zernike Moments," 2014.
- [39] S. Liao, A. K. Jain, and S. Z. Li, "Partial Face Recognition: Alignment-Free Approach," vol. 35, no. 5, pp. 1193–1205, 2013.
- [40] U. Park and A. K. Jain, "Face Matching and Retrieval Using Soft Biometrics," vol. 5, no. 3, pp. 406–415, 2010.
- [41] J. C. Klontz, E. Lansing, and E. Lansing, "A Case Study on Unconstrained Facial Recognition Using the Boston Marathon Bombings Suspects The Boston Marathon Bombings - Investigation Timeline," pp. 1–8, 2013.
- [42] K. V Awalkar, S. G. Kanade, and D. V Jadhav, "A Multi-modal and Multi-algorithmic Biometric System Combining Iris and Face," 2015.
- [43] G. Sathish, "Multi-algorithmic IRIS Recognition," vol. 38, no. 11, pp. 13–21, 2012.

8. Acknowledgment

This project is part of a PhD research currently being carried out at Centre for Security, Communications and Network Research (CSCAN), Plymouth University, U.K. The deepest gratitude and thanks to Baghdad University, Ministry Of Higher Education & Scientific Research and Higher Committee for Education Development in Iraq (HCED) for funding this PhD research.