

4. References

- [1] American Psychiatric Association (1994). *Diagnostic and Statistical Manual of Mental disorders (4th Ed.)*. Washington, DC: Author.
- [2] American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental disorders (5th Ed.)*. Washington, DC: Author.
- [3] Autism Society of America (ASA). (2005). What are autism spectrum disorders? Retrieved February 7, 2007 from <http://www.autism-society.org>
- [4] Baer, D. M., Wolf, M. M., & Risley, T. R. (1968). Some current dimensions of applied behavior analysis. *Journal of Applied Behavior Analysis, 1*, 91-97.
- [5] Center for Disease Control and Prevention (CDC) (2007). *Autism Spectrum Disorders Overview*. Washington, DC: Department of Health and Human Services.
- [6] Center for Disease Control and Prevention (CDC) (2014). *Community Report on Autism*. Washington, DC: Department of Health and Human Services.
- [7] Dille, L. (2013). A Comparison of Two Curricular Models of Professional Development to Increase Teacher Repertoires for Instructing Students with Autism. *Journal of the American Academy of Special Education Professionals (JAASEP)*, Fall 2013.
- [8] Dille, L. (2012). Using a Blended Curricular Model of Professional Development to Increase Educator Repertoires for Instructing Students with Autism. *International Journal of Humanities and Social Science*, Vol. 2, No. 21, 40-47.
- [9] Greenspan, S., & Weider, S., (1997). *The Child with Special Needs: Encouraging Intellectual and Emotional Growth*. Addison Wesley: NYC.
- [10] Hart, B. M., & Risley, T. R. (1968). Establishing the use of descriptive adjectives in the spontaneous speech of disadvantaged children. *Journal of Applied Behavior Analysis, 1*, 109-120.
- [11] Hart, B. M., & Risley, T. R. (1974). Using preschool materials to modify the language of disadvantaged children. *Journal of Applied Behavior Analysis, 7*, 243-256.
- [12] Hart, A. P., & Risley, T. R., (1980). In vivo language training: Unanticipated general effects. *Journal of Applied Behavior Analysis, 13*, 407-437.
- [13] Koegel, R.L. & Schreibman, L. (1977). Teaching autistic children to respond to simultaneous multiple cues. *Journal of Experimental Child Psychology, 24*, 299-311.
- [14] Koegel, R. L., & Koegel, L. K. (2006). *Pivotal Response Treatments for Autism*. Baltimore, MD: Paul H. Brookes.
- [15] Lovaas, O.I. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. *Journal of Consulting and Clinical Psychiatry, 55*, 3-9.
- [16] McEachin, J. J., Smith, T., & Lovaas, O. I. (1993). Long-term outcome for children with autism who received early intensive behavioral treatment. *American Journal of Mental Retardation, 97*, 359-372.
- [17] Prizant, B.M., Wetherby, A.M., Rubin, E., Laurent, A.C., & Rydell, P. (2002). The SCERTS model: Enhancing communication and socio-emotional abilities of children with autism spectrum disorders. *Jenison Autism Journal, 14*, 2-19.
- [18] Prizant, B.M., Wetherby, A.M., Rubin, E., Laurent, A. C., and Rydell, P. (2006). *The SCERTS Model: Volume I & II*. Baltimore, MD: Brookes Publishing.
- [19] Schopler, E., Mesibov, G.B., & Hearsey, K. (1995). Structured teaching in the TEACCH system. In Schopler, E. and Mesibov, G.B. (Eds.) *Current Issues in Autism: Learning and Cognition in Autism*. New York: Plenum.
- [20] World Health Organization (WHO), (1992). *The ICD-10 classification of mental and behavioral disorders: clinical descriptions and diagnostic guidelines*. Geneva: WHO.