

















Engineering. In Proceedings of the IJCAI-99 Workshop on Learning About Users, pp. 35-44.

[8] Lee, W. and Stolfo, S.J. (2000) 'A Framework for Constructing Features and Models for Intrusion Detection Systems', *ACM Transactions on Information and System Security*, 3(4), pp. 227-261.

[9] Min, J.H. and Lee, Y.C. (2005), 'Bankruptcy prediction using support vector machine with optimal choice of kernel function parameters', *Expert Systems with Applications*, pp. 603-614.

[10] Mulay, S.A., Devale, P.R. and Gajre, G.V. (2010), 'Intrusion Detection System using Support Vector Machine and Decision Tree', *International Journal of Computer Applications*, 3(3), pp. 40-43.

[11] Olivo, C.K., Santin, A.O. and Oliveria, L.S. (2011), 'Obtaining the threat model for e-mail phishing', *Applied Soft computing*, pp. 1-8.

[12] Osowski, S., Hoai, L.T. and Markiewicz, T. (2004), 'Support Vector Machine-Based Expert System for Reliable Heartbeat recognition', *IEEE Transactions on Biomedical Engineering*, 51(4), 2004, pp. 582-589.

[13] Ourston, D., Matzner, S., Stump, W. and Hopkins, B. (2002) 'Application of Hidden Markov Models to Detecting Multi-stage Network Attacks', In proceedings of the 36th Hawaii International Conference on System Sciences, 9, pp. 334-344.

[14] Rabiner, L.R. (1989) 'A tutorial on hidden Markov models and selected applications in speech recognition', In proceedings of the IEEE, 77(2), pp. 257 -286.

[15] Raju, E. and Sravanthi K. (2013), 'Network intrusion detection using Support Vector Machines', *International Journal of Computer Science and Management Research*, 2(1), pp 1314-1319.

[16] R project, The R Project for Statistical Computing, Available at: <<http://www.r-project.org/>> [Accessed March 6, 2012].

[17] Shyu, M.L., Sarinnapakorn, K., Kuruppu-Appuhamilage, I., Chen, S.c., Chang, L.w. and Goldring, I. (2005) 'Handling Nominal Features in Anomaly Intrusion Detection Problems', The 15th International Workshop on Research Issues on Data Engineering (RIDE), in conjunction with The 21st International Conference on Data Engineering, pp. 55-62.

[18] Srivastava, A, Kundu, A, Sural, S. and Majumdar, A.K. (2008), 'Credit Card Fraud Detection Using Hidden Markov Model', *IEEE Transactions on Dependable and Secure Computing*, 5(1), pp. 37-47.

[19] The UCI KDD Archive, KDD cup 1999 data, <http://kdd.ics.uci.edu/databases/kddcup99/kddcup99.html> [Accessed December 16, 2011].

[20] Vapnik, V.N. (1995), *The Nature of Statistical Learning Theory*, 1st ed., Springer-Verlag, New York.

[21] Wang, Y., Wang, S. and Lai, K.K. (2005), 'A new fuzzy support vector machine to evaluate credit risk', *IEEE Transactions on Fuzzy Systems*, 13(6), pp. 820-831.

[22] Weka, Data Mining Software in Java, Available at: <<http://www.cs.waikato.ac.nz/ml/weka/>> [Accessed December 15, 2011].